contents

PII: S0305-1978(98)00089-1

number 1

ECOLOGY

Host-plant preference of an insect herbivore mediated by UV-B and CO_2 in relation to plant secondary metabolites
A. Lavola, R. Julkunen-Tiitto, H. Roininen & P. Aphalo 1

Plant growth inhibitors (proanthocyanidins) from *Prunus armeniaca*
M. S. M. Rawat, G. Pant, D. Prasad, R. K. Joshi & C. B. Pande 13

Influence of phytochrome on leaf monoterpene variation in *Satureja douglasii*
W. A. Peer & J. H. Langenheim 25

SYSTEMATICS

RAPD–PCR investigations on sibling species of terrestrial *Enchytraeus* (Annelida: Oligochaeta)
A. Schirmacher, H. Schmidt & W. Westheide 35

The extent and structure of genetic variation in the *Macrozamia pauli-guilielmi* complex (Zamiaceae)
I. K. Sharma, D. L. Jones, P. I. Forster & A. G. Young 45

Phylogeny of the Hamamelidaceae based on the ITS sequences of nuclear ribosomal DNA
S. Shi, H. T. Chang, Y. Chen, L. Qu & J. Wen 55

Preliminary date palm cultivar composition of Moroccan palm groves as revealed by leaf isoenzyme phenotypes
K. Bendiab, M. Baaziz & K. Majourhat 71

Geographical variability of *Pinus halepensis* Mill. as revealed by foliar flavonoids
S. S. Kaundun, P. Lebreton & B. Fady 83

On the occurrence of methylated and methoxylated flavonoids in *Leptospermum scoparium*
H. Häberlein & K.-P. Tschiersch 97

Flavonoids of *Onopordum sibthorpianum* and *Onopordum laconicum*
D. Lazari, H. Skaltsa & C. Harvala 105

Fatty acids of seed oils of species of *Diplusodon* Pohl (Lythraceae)
D. Y. A. C. Dos Santos & A. Salatino 109

Formaldehyde from marine algae
M.-H. Yang, G. Blunden & E. Tyihák 117

NEW SOURCE REPORTS

Flavonoids from *Millettia peguensis* Ali (Fabaceae)
S. Ganapaty, V. Pushpalatha, G. J. Babu, K. C. Naidu & P. G. Waterman 125

Comparative flavonoid composition of the resinous exudates from *Heliotropium chenopodiaceum* var. *chenopodiaceum* and *H. chenopodiaceum* var. *ericoideum*
A. Urzúa, B. Modak, L. Villarroel, R. Torres & L. Andrade 127

Analysis of species of the Ranunculaceae for ecdysteroid agonists and antagonists – II. Ecdysteroids in the genus *Anemone*
T. Savchenko, P. Whiting, S. D. Sarker & L. Dinan 131

20-Hydroxyecdysone and its glucosides from *Trisetum flavescens*
S. D. Sarkar, T. Savchenko, V. Šik, H. H. Rees & L. Dinan 135

Alkaloids from *Anomianthus dulcis*
A. Sinz, R. Matusch & L. Witte 139

Book Review 143

number 2

SYSTEMATICS

Phylogenetic relationships in Mediterranean and North Atlantic shearwaters (Aves: Procellariidae) based on nucleotide sequences of mtDNA
P. Heidrich, J. Amengual & M. Wink 145

***Ips amitinus* var. *montana* (Coleoptera, Scolytidae) is synonymous to *Ips amitinus*: a morphological, behavioural and genetic re-examination**
C. Stauffer & M. Zuber 171

Phylogeny of *Actaea* including *Cimicifuga* (Ranunculaceae) inferred from nrDNA ITS sequence variation
J. A. Compton, A. Culham, J. G. Gibbings & S. L. Jury 185

Variation in the enzyme esterase within and between *Tulipa* species; usefulness for the analysis of genetic relationships at different taxonomical levels
G. Booy, & L. W. D. Van Raamsdonk 199

Amount of flavonols and stilbenes during needle development of *Picea abies*; variations between provenances
R. Slimestad 225

The essential oils of the yellow bloodwood eucalypts (*Corymbia*, section *Ochraria*, Myrtaceae)
J. J. Brophy, P. I. Forster, R. J. Goldsack, & D. B. Hibbert 239

Saponins from *Colignonia scandens* Benth. (Nyctaginaceae)
V. De Feo, S. Piacente, C. Pizza & R. U. Soria 251

Book Review 255

number 3

ECOLOGY

The effect of nonprotein amino acid administration on the lysozyme activity of the tobacco hornworm, *Manduca sexta* [Sphingidae]
G. A. Rosenthal 257

Cytogenetics and adaptation to increasingly arid environments: the example of *Plantago albicans* L. (Plantaginaceae)
S. Puech, J.-P. Rascol, V. Michel & C. Andary 267

SYSTEMATICS

Electrophoretic and phylogenetic analyses of selected allopatric populations of the *Cotesia flavipes* complex (Hymenoptera: Braconidae), parasitoids of cereal stemborers
S. W. Kimani-Njogu, W. A. Overholt, J. B. Woolley & C. O. Omwega 285

Isozyme polymorphism within section reticulatae of genus *Vigna* (Tribe Phaseoleae: Fabaceae)
M. Garba & R. S. Pasquet 297

Phylogenetic implications of an expanded valepotriate distribution in the Valerianaceae
A. Backlund & T. Moritz 309

Distribution and identity of phytoecdysteroids in *Gomphrena* spp. (Amaranthaceae)
T. Savchenko, P. Whiting, S. D. Sarker & L. Dinan 337

Essential oil composition of *Bothriochloa pertusa* and phyletic relationship in aromatic grasses
V. K. Kaul & S. K. Vats 347

NEW SOURCE REPORTS

α-Homonojirimycin from *Hyacinthus orientalis* L.
G. C. Kite, C. Sellwood, P. Wilkin & M. S. J. Simmonds 357

An Annonaceous acetogenin from the stem of *Anomianthus dulcis*
A. Sinz, R. Matusch, T. Santisuk, S. Chaichana & V. Reutrakul 361

Flavonoids of *Kirengeshoma* Yatabe
B. A. Bohm 363

Sterols from a marine isolate of the fungus *Cladosporium sphaerospermum* Penz.
T. A. Kuznetsova, S. A. Afiyatullov, V. A. Denisenko, M. V. Pivkin & G. B. Elyakov 365

Volatile compounds in interdigital glands of sable antelope and wildebeest
W. F. Wood 367

number 4

ECOLOGY

Invasion of grasslands by *Juniperus ashei*: A new theory based on random amplified polymorphic DNAs (RAPDs)
R. P. Adams, L. E. Flournoy, R. L. Singh, H. Johnson & H. Mayeux 371

Chemotaxonomic significance of hydroxylated pipecolic acids in Central American *Inga* (Fabaceae: Mimosoideae: Ingeae)
T. C. Morton 379

SYSTEMATICS

Isoenzyme diversity and phylogenetic affinities in the section *Bromus* of the grass genus *Bromus* (Poaceae)
T. Oja 403

Genetic differentiation and phylogenetic relationships among Greek Chub *Leuciscus cephalus* L. (Pisces, Cyprinidae) populations as revealed by RFLP analysis of mitochondrial CNA
A. Imsiridou, A. P. Apostolidis, J. D. Durand, J. Briolay, Y. Bouvet & C. Triantaphyllidis 415

Electrophoretic evidence for hybridization in the ant genus *Acanthomyops* (Hymenoptera: Formicidae)
G. J. Umphrey & R. G. Danzmann 431

Genetic diversity among coastal and Andean natural populations of *Araucaria araucana* (Molina) K. Koch
Z. A. Rafii & R. S. Dodd 441

NEW SOURCE REPORTS

Terpenoids from *Steyermarkina dispalata* (Asteraceae)
D. A. S. Massei, D. Camilo, R. de Oliveira & J. L. Callegari Lopes ... 453
Ketones in the anal sac secretions of the masked palm civet, *Paguma larvata* (Viverridae, Mammalia)
J. W. Wheeler, D. M. Lay, M. S. Blum & P. J. Weldon 457

Further ecdysteroids from *Serratula coronata* L. (Asteraceae)
V. V. Volodin, L. I. Alexeeva, N. A. Kolegova, S. D. Sarker, V. Šik, R. Lafont & L. Dinan 459

Arabenoic acid (verrucolone), a major chemical indicator of *Penicillium verrucosum*
T. O. Larsen, J. C. Frisvad & C. Christophersen 463

Isobutylamides and Coumarins from *Melicope melanophloia*
Z. Latif, T. G. Hartley, M. J. Rice, R. D. Waigh & P. G. Waterman ... 467

Minor flavonoids and diterpenoids in the resinous trichome exudates from *Pseudognaphalium cheiranthifolium, P. heterotrichium, P. vira vira* and *P. robustum*
L. Mendoza & A. Urzúa 469

number 5

ECOLOGY

Pheromone evolution within the genera *Ctenopseustis* and *Planotortrix* (Lepidoptera: Tortricidae) inferred from a phylogeny based on cytochrome oxidase I gene variation
R. D. Newcomb & D. M. Gleeson 473

Genetic variation in the needle flavonoid composition of *Pinus brutia* var. *brutia* populations
S. S. Kaundun, P. Lebreton & B. Fady 485

SYSTEMATICS

Heterogeneity of SSU and LSU rDNA sequences of *Alexandrium* species
D. Walsh, R. A. Reeves, D. J. Saul, R. D. Gray, L. MacKenzie, P. R. Bergquist & P. L. Bergquist 495

Implications from SDS-PAGE analyses of seed proteins in the classification of taxa of *Festuca* and *Lolium* (Poaceae)
S. G. Aiken, S. E. Gardiner, H. C. M. Bassett, B. L. Wilson & L. L. Consaul 511

Betaines in coastal plants
M. Adrian-Romero, S. J. Wilson, G. Blunden, M.-H. Yang, A. Carabot-Cuervo & A. K. Bashir 535

Alkaloids from six *Erythrina* species endemic to Mexico
R. García-Mateos, M. Soto-Hernandez & D. Kelly 545

Taxonomic distribution of phytoecdysteroids in seeds of members of the chenopodiaceae
L. Dinan, P. Whiting & A. J. Scott 553

Flavonoid aglycones from Argentinian *Capparis* species (Capparaceae)
J. P. Pelotto, M. A. Del Pero Martínez 577

Alkanes from foliar epicuticular waxes of *Huberia* species: taxonomic implications
M. R. M. Mimura, M. L. F. Salatino, A. Salatino & J. F. A. Baumgratz 581

NEW SOURCE REPORTS

Hexanoic acid and phenylacetaldehyde in the false truffle, *Truncocolumella citrina*
W. F. Wood, B. D. Foy & D. L. Largent 589

Book Review 593

number 6

SYSTEMATICS

Lack of genetic differentiation between 19 populations from seven taxa of *Sutherlandia* Tribe: Galegeae, Fabaceae
D. Moshe, H. van der Bank, M. van der Bank & B.-E. van Wyk 595

The genus *Bulnesia* revisited: A cladistic analysis of seed protein data
C. I. Comas, V. A. Confalonieri & J. H. Hunziker 611

Pyrrolizidine alkaloids in members of the boraginaceae species from Sinai (Egypt)
A. El-Shazly, M. El-Domiaty, L. Witte & M. Wink 619

The leaf essential oils and chemotaxonomy of *Juniperus* sect. *Juniperus*
R. P. Adams 637

Mangiferin and isomangiferin in some *Hypericum* species
G. M. Kitanov & P. T. Nedialkov 647

Hydrocarbons of leaf epicuticular waxes of *Pilocarpus* (Rutaceae): Taxonomic meaning
L. A. Skorupa, M. L. F. Salatino & A. Salatino 655

Chemosystematics of *Anagallis arvensis* L. (Primulaceae)
S. A. Kawashty, I. A. El-Garf & S. I. El-Negoumy 663

NEW SOURCE REPORTS

Gardenoside from *Tocovena bullata*
G. L. von Poser & L. T. Seibt 669

Sesquiterpene lactones, triterpenes and flavones from *Lychnophora ericoides* and *Lychnophora pseudovillosissima*
J. C. Borella, J. L. C. Lopes, W. Vichnewski, W. R. Cunha & W. Herz 671

Alkaloids and coumarins from *Gymnosporia senegalensis* var. *spinosa* (Celastraceae)
L. Pistelli, R. Venturi, A. Marsili & I. Morelli 677

Isoamericanin A: a neolignan from *Trianthema turgidifolia*
S. D. Sarker, V. Šik & L. Dinan 681

Glaucolides, piptocarphins and cadinanolides from *Lepidaploa remotiflora*
D. A. Valdés, A. Bardón, C. A. N. Catalán, T. E. Gedris & W. Herz ... 685

Ecdysteroids from the seeds of *Trianthema turgidifolia* and T. pilosa (*Aizoaceae*)
S. D. Sarker, T. Savchenko, P. Whiting, V. Šik & L. Dinan 691

Phytoecdysteroids in the genus *Limonium* (Plumbaginaceae)
P. Whiting, T. Savchenko, S. D. Sarker, H. H. Rees & L. Dinan 695

Book Reviews 699

number 7

ECOLOGY

Host plant influence on the composition of the defensive secretion of *Chrysomela vigintipunctata* larvae (Coleoptera: Chrysomelida)
P. Soetens, J. M. Pasteels, D. Daloze & M. Kaisin 703

Composition, miticidal activity and growth regulation effect on radish seeds of extracts from *Melaleuca* species
M. Yatagai, T. Ohira & K. Nakashima 713

SYSTEMATICS

Alkaloid patterns in *Huperzia* and some related genera of *Lycopodiaceae Sensu Lato* occurring in China and their contribution to classification
X.-Q. Ma, S.-H. Jiang & D.-Y. Zhu 723

Flavonoids and verbascoside as chemotaxonomic characters in the genera *Oxera* and *Faradaya* (Labiatae)
R. J. Grayer & R. P. J. de Kok 729

Flavonoids as markers for *Erythroxylum* Taxa: *E. coca* var. *ipadu* and *E. novogranatense* var. *truxillense*
E. L. Johnson, W. F. Schmidt & H. A. Norman 743

Flavonoid glycosides of Pteridaceae from Brazil
M. L. F. Salatino & J. Prado 761

Colouring agents in yellow and white flowered *Papaver radicatum* in Northern Greenland
O. Wind, S. B. Christensen, P. Mølgaard 771

Distribution and identities of phytoecdysteroids in the genus *Briza* (Gramineae)
T. Savchenko, P. Whiting, V. Šik, E. Underwood, S. D. Sarker & L. Dinan 781

NEW SOURCE REPORTS

Phenol, the odour compound from *Agaricus praeclaresquamosus*
W. F. Wood, R. L. Watson & D. L. Largent 793

Arytetralin lignans from *Linum catharticum L.*
K. Belma 795

Danshenol-A and 15-epi-danshenol-A from the roots of *Salvia glutinosa*
G. Nagy, G. Günther, I. Máthe, G. Blunden, M.-H. Yang & T. A. Crabb 797

Sesquiterpene lactones of two *centaurea* species from Sicily
M. Bruno, N. Vasallo, C. Fazio, T. E. Gedris & W. Herz 801

Goyazensolides and isogoyazensolides from Argentine *Centratherum punctatum* ssp. *punctatum*
D. A. Valdés, A. Bardón, C. A. N. Catalán, T. E. Gedris, W. Herz 805

Book Review 809

number 8

ECOLOGY

Environmental factors affecting chemical variability of essential oils in *Thymus piperella* L.
H. Boira & A. Blanquer 811

Systematics and evolutionary history of heavy metal tolerant *Thlaspi caerulescens* in Western Europe: evidence from genetic studies based on isozyme analysis
M. Koch, K. Mummenhoff & H. Hurka 823

SYSTEMATICS

Pyrrolizidine alkaloids from *Neurolaena lobata*
C. M. Passreiter 839

Iridoid glycosides of *Cornus canadensis*: a comparison with some other *Cornus* species
F. R. Stermitz & R. E. Krull 845

The chemosystematics of Egyptian *Trigonella* species
S. A. Kawashty, M. F. Abdalla, E. M. Gamal El Din & N. A. M. Saleh 851

Flavonoid and enzyme polymorphisms and taxonomic organisation of *Rosa* sections: Carolinae, Cinnamomeae, Pimpinellifoliae and Synstylae
C. Grossi, O. Raymond & M. Jay 857

Infraspecific variability in the volatile leaf oils of *Chamelaucium uncinatum* (Myrtaceae)
L. M. Egerton-Warburton, E. L. Ghisalberti & J. A. Considine 873

Distribution and essential oils of *Salvia pomifera* subsp. *pomifera* (Labiatae) on the island of Crete (S Greece)
R. Karousou, D. Vokou & S. Kokkini 889

Foliage terpenoids of Chinese *Cupressus* species
L. G. Cool, Z.-L. Hu & E. Zavarin 899

Composition and infraspecific variability of essential oil from *Thymus herba barona* Lois
M. Corticchiato, F. Tomi, A. F. Bernardini & J. Casanova 915

NEW SOURCE REPORTS

Alkaloids from *Dasymaschalon sootepense*
A. Sinz, R. Matusch, L. Witte, T. Santisuk, S. Chaichana, V. Reutrakul & S. Wangcharoentrakul 933

Inter-specific variation in the concentration of two iridoid glucosides in *Avicennia* L. (Avicenniaceae Endl.)
A. Bousquet-Mélou & M.-T. Fauvel **935**

Triterpene acids from *Diospyros melanoxylon*
U. V. Mallavadhani, A. K. Panda & Y. R. Rao **941**